

# SONIA BATH

---

## CONTRACT





ENGLISH

Paper made from fibers from responsibly managed forest and certified with the European eco-label.



CONTRACT SPACE



**sonia**<sup>®</sup>

Your bath. Your universe





## WORLD-WIDE EXPERTISE

Over 40 years of experience in hospitality and residential projects worldwide.



**RHG** RADISSON  
HOTEL GROUP

Club Med

W  
WALDORF  
ASTORIA

DOUBLETREE  
BY HILTON

RIU

HYATT

Rotana

RAMADA

L MERIDIEN

TITANIC  
HOTELS

Marriott

Radisson  
HOTELS & RESORTS

LOEWS  
HOTELS & RESORTS

Hilton

Foster + Partners

MÖVENPICK  
Hotels & Resorts

Sheraton

# 1. OUR PRINCIPLES & DRIVING FORCE

Since the beginning of time, people across cultures and in all walks of life have shown both, passion and a natural instinct for the arts. Conversely, throughout time such artistic drive has evolved and has been forged by the interaction of cultures and the environment in which they thrive.

In a similar fashion, our manufacturing experience has evolved throughout the last 40 years, and the essence of design in our products has also continually evolved with our world-wide industrial expertise. At Sonia we remain resolved to ever improve our products, and our Spanish Passion in Bath Design remains our driving force and way of life to achieve excellence.

In our approach to design, we are always eager to learn and understand end-user emotions in order to provide solutions for a lifestyle in the use of personal space. The result is a transformation of such understanding into functional bath furniture and accessories with a unique personality.

*We are passion. We are art.  
We are tradition. We are quality.*

# HISTORY



## 80's

Ford Fiesta inner door handle.

Ford Q1 Certification.

German leading brands: Hansa, Hansgrohe, Grohe, and Dornbracht OEM products.

## 90's

First Sonia Collections: Bola and Norda.

1998 - First Contract Project: The fairway Courts. Palmas del Mar. San Juan - Puerto Rico. Europa Collection.

Car industry clientele: Volvo, Jaguar, Volkswagen Valeo...

40 YEARS  
LOOKING  
FORWARD

40 years of industrial know-how.

Sonia drivers: design value, raw materials selection, engineer manufacturing expertise, packaging protection, logistics efficiency, customer care.

And today, more than ever, our mentality meets sustainability and social commitment.





## 2000's

After developing 20 accessory collections, we expand our product range to vanities, washbasins, mirrors and lighting.



2005 - Highest volume Contract Project (8,000 dwellings): Motor City Housing, Dubai, E-Plus Collection.



## 2013

Fractal Collection: innovation and upscale design for A&D community. Exhibited at: ICFF, BDNY or ISH shows.



## 2015

Social, green and cultural commitment. Action plan: UNICEF program, Green mentality, and sports sponsorship.



## 2019

New launches in our three year product plan.

*"Time, experience, effort and non stop learning come together to write our milestones".*



CONTRACT FRAME OF MIND



## 2. SUPPORT & LEADERSHIP

for your Architectural & Design project

Choose the expertise and know-how of Sonia Professional Services to complement your Hospitality or Residential project needs. From the conceptualization of an abstract idea to the delivery of the final product to your project site, our teams of Project Leadership, Engineering and Design, Production, Logistics, and Customer Support offer to you a complete scope of professional support in your project needs that includes the following services:

- **Project Discovery:**

Comprehensive discovery analysis, consulting & audit of project requirements.

- **Design & Engineering:**

Conceptualizing design requirements, specifications and rendering with graphical & 3D prototypes.

- **Design Feasibility**

Execution & Review: Fitness of purpose, Technical development, Contingencies estimate, project planning and ongoing review & monitoring.

- **Production & Logistics**

Coordinated production to specifications & delivery of final product On site, On time.



### 3. ENGINEERING & DESIGN SUPPORT

Allow us to take some of your project workload off your hands.

In the initial stage, Sonia's Engineering & Design team familiarizes with your project at hand and sets up to work in coordination with your team. In its approach, our E&D team aims to continuously address any constraints in your project in order to effectively tailor solutions that meet and exceed your project needs.

Years of industrial experience and our design "know-how" allow us to approach your project with flexibility and creativity while delivering accuracy, technical excellence and maximum profitability in the production of your project design. Using state-of-the-art design technology, the design development process includes active specification support, image rendering, 3D prototyping, as well as support with professional project presentations for proprietors, developers, investors and prospective clients.

The workflow chart that follows details the range of support services you get from Sonia for your project at every stage of your project's development, from the abstract idea to a final product delivered - on site, on schedule.



1

2


## WORKFLOW

4

5




SKETCHING IDEAS



3D MODELING



COLOR & TRIM



PROTOTYPING



PRODUCTION



## SKETCHING IDEAS

Using our creativity, flexibility and industrial experience we develop practical solutions for your architectural projects.

Our experience participating in international projects actively listening to customer feedback, enables our Engineering

& Design team to develop tailored concepts into functional products.

Our services include support for presentations to owners, developers, investors and prospective clients.



## 3D CAD MODELING

All designs developed employ a 3D CAD modeling tool.

This starting platform of design is our starting point to develop technical drawings to specifications and 3D renderings for subsequent approval by client.

We offer quick response providing attractive and technically sound solutions.

The virtual 3D modeling serves to make corrections spatial flaws and adjustments in functionality and design of the prototype.

## COLOR & TRIM

Technical analysis of style and finish options of each project.

Our support on project design includes advise on every aspect of the project in terms of quality, design, style, shape, color and texture of each component, all to provide each product with its own personality.

Actively support the design against specifications while adjusting the product to a target budget set by the customer.

Troubleshooting on technical and aesthetic details to meet project requirements.







## PROTOTYPING

We employ 3D prototyping to validate specifications prior to engaging production.

In the production of furniture, sinks, accessories, mirrors and lighting, we have a wide range of the best partners to build the initial sample to a finished level as the client requires.

The result is a final prototype which we ensure it says n point to specifications for color, materials and textures of each item in the project.




## PRODUCTION

We closely collaborate with our external production partners to learn and contribute feedback at all stages of production.

We remain actively involved at all stages of production to ensure specifications, budgets and timelines are met as required.

At these final stages we concurrently manage and detail key processes including quality controls, packaging requirements for export, production processes, assembly, final packaging, logistics and shipping requirements.





## 4. SONIA LAB

Our in-house Engineering & Design team continuously research the latest materials and technologies, to bring to you leading edge ideas and solutions for each project both at a technical and creative level.

Our E&D team aims to provide high quality and innovation solutions at the best price, always considering trends in the market, and quickly applying to the process of production to meet local construction code and import regulations.

Finally, our E&D team develops and implements safety enhancements that allow the integration of new materials to improve the performance and reliability of the product. The result is an exclusive collection tailored to specifications up to the installation of the product.



CASE STUDY  
**Custom Design & Finish to Specifications**  
WEATHER RESISTANT TOWEL SHELVES



A hotel chain customer requested the development of a towel shelf for use in balconies emphasizing first the importance of durability in saline environments and coastal areas and Second a design to match existing hotel décor.

Our E&D team responds with a very lightweight piece made with laser-cut aluminum and applying a coating of Electrophoretic Deposition, a specialized coating process used in the automotive industry for the protection of chassis components.

The result of the project is a towel shelf designed to specifications, very light weight and finished with a strong weather-resistant finish capable of withstanding over than 10 years in saline environments.



## CASE STUDY

**From a sketch to a delivered product  
on a residential development in New York.**  
BATH FURNITURE DESIGN TO SPECIFICATIONS



Many of our projects have been cases of Architects & Designers bringing to us their ideas and initial sketches so that we give them feasible and industrial product solutions.

It is the case of this bathroom vanity which we perfectly fitted a countertop marble on a metal frame.

We developed a sink integrated in a compact natural stone which perfectly fits in a steel frame coated with epoxy paint.

At the bottom we integrated a drawer finished with laminated board. In this module we installed one of our distinct drawer-pulls from our portfolio of designs, adding to the distinct character to the unit.






CASE STUDY  
**Retro-fitting any of our products to match your project's architectural design.**  
SWING-UP TP ROLL HOLDER



A hotel chain selected our Tecno Project collection for a project. The client proposed that we develop a swing-open toilet paper roll holder with a more robust construction yet able to match the hotel's design-specific aesthetic while keeping the timeless minimalist design that distinguishes this collection.

We started with our collection Tecno Project and retro-fit it with a collapsible brass bar secured on one end designed to move into secure position with a swing motion. The result is a very compact and robust design with no loose parts that also blends seamlessly with the hotel's design as well as other accessories in our Tecno Project collection.



## 4.1. PERSONALIZED FINISH DETAILS

**Make a statement branding your corporate image on our accessories.**

In our pursuit for creative and innovative solutions that cater to the needs of each client, Sonia makes available options to further brand your corporate image on your project.

The technology we offer allows for the placement of your own logo or project's name on our accessories, with the shape and color you need. We are ready to assist with options for each case according to the chosen pieces and the design of your choice.

Our goal is to enhance your corporate presence, offering exclusive components that make a statement and create distinctive elements within the bathroom that reinforce the corporate image with your customers.









## 4.2. NO-DRILL ACCESSORY INSTALLATION

One of our main objectives in recent years has been to simplify and facilitate the installation of accessories, always compatible with the latest construction materials used in interior design. In this respect, we offer two options of no-drill accessory installation:

**Our exclusive 3M® adhesive backplate** design allows to fix in an easy, fast and securely fashion our collections of accessories of bath on any smooth surface or surface with low roughness.

**Our BathFix adhesive** allows the installation of accessories by means of an adhesive gel. This solution is available for use on select accessory collections and is only available upon request.

Both technologies offer benefits in two aspects of your project:

**Architecture & Design:** it opens up the possibilities of interior design as you are able to install the accessory on the exact position you need without concern of alignment to construction studs or wall bracing, and on any smooth or low-roughness surface to a maximum of 0.5mm. It also allows the flexibility to position and repositioning of any accessory without wall damage.

**Project budget consciousness:** Both options offer a simplified and fast installation that results in savings in both time and installation costs.



Both products are designed and tested to withstand steam and moisture making it suitable for applications in many bath enclosure designs subject to high steam conditions.

It is the only option available in the market that helps to avoid permanent drill damage on expensive decorative stones or tiles and avoids expensive pre-drilling on tempered glass.

On both options the adhesive can be easily removed from the wall using a spatula leaving non-marking residue. Using a new adhesive 3M, this rear backplate remains reusable.

# COMPATIBILITY

Compatible collections with Sonia 3M Backplate.



**TECNO PROJECT**  
TOWEL BAR



**TECNO PROJECT**  
GROOVED METAL SOAP DISH



**TECNO PROJECT**  
OPEN TOWEL RING



**S1-SUIT**  
OPEN ROLL HOLDER LEFT / RIGHT



**E-PLUS**  
ROBE HOOK




**S3**  
SOAP DISPENSER



**S6**  
TOWEL RING



**S6**  
OPEN TOWEL RING



**S-CUBE**  
ROBE HOOK



**E-PLUS**  
TOWEL RING



**ELETECH**  
WC BRUSH SET



**ELETECH**  
DOUBLE TOILET ROLL HOLDER

# BENEFITS OF NO-DRILL ACCESSORY INSTALLATION

## Adhesive wall mount technology for accessory installation.

Unique in the market, available to you are our two innovative technologies for installation of our accessories:

- 3M® adhesive backplate.
- Adhesive BathFix.

Among the key benefits from this installation design you can consider the following:

- Easy, fast and convenient installation.
- Compatible with a wide range of collections and finishes.
- It allows covering old installations
- No need for special tools for installation.
- Ability to position exactly where desired.
- Ability to re-use accessories in anywhere else.
- Avoid drilling or breakage of expensive tiles or stones.
- Eliminate the need to pre-drill on tempered glass partitions.
- Newfound flexibility for rental residences and projects.
- Secure hold capacity to support more than 10 lb or 5 kg of weight per backplate.

3M® adhesive backplate



Adhesive BathFix



BathFix available for use on select accessory collections and is only available upon request.

# STAY ON BUDGET

Technology to help you reduce as much as 75% on installation costs.

Example: Installation of a 3-piece bathroom accessory set per room in a 150-room hotel where an installer costs approx. \$75/h.

Option 1: Accessories are installed without Sonia 3M Backplate the average installation time is 1 hour per room.

Option 2: Using Sonia 3M Backplate option, the installation time is reduced to 15 minutes per room or less.

**37.5h**  
**\$2,800**

With Sonia 3M

**150 h**  
**\$11,250**

Without Sonia 3M

**-76%**

**With Sonia 3M**

time = 15 min/room

**Without Sonia 3M**

time = 1 h/room

**HOTEL**  
**150 rooms**  
**3 accessories / room**  
**75 \$/h assembler**





## 4.3. ADVANCED FINISHES

We continue making inroads in our work developing a new concept of enabling your bath design to carry through onto the body of our bath accessories with features of the environment (for example walls, taps and other bathroom elements) where the accessories are installed. To this end, we continuously research different types of coating technologies.

For Architects and Designers this translates into a powerful option with endless possibilities to accomplish harmonious bath designs with our accessories while matching typical environment finishes such as marble, wood and carbon fibre among others.



Brightness: Chrome, Rose, Nickel, Gold, Graphite.  
Brushed: Gold, Rose, Nickel, Gold, Graphite.  
Matt: Black, White.



A black and white photograph of a woman with long blonde hair, wearing a sleeveless top, sitting at a desk in an office. She is talking on a telephone. On the desk, there is a computer monitor, a keyboard, a mouse, and some papers. In the background, there is a large window with a view of a city skyline. The image is framed by a thin black border.

## 5. AFTER SALES SERVICE

Our firm commitment to Architects and Designers goes beyond generating innovative and quality solutions, and extends into providing the best possible after sales service. To this end, the after sales services we offer as part of our service include:

- The installation, maintenance or operation of a particular product.
- Consultative and proactive cooperation in design.
- After-sales support provisions of materials or parts.
- Identification and correction of any defects.
- Special preferred conditions in your future projects.



Functionality options to make  
the bathroom space safe and  
accessible to everyone.

## 6.1. ACCESSIBILITY




At Sonia, we work to generate solutions that improve quality of life for everyone, including those who do not move around with the usual sensory or physical capacity.

In terms of design and installation, we follow respect the standards established in the UNE 61700 and ISO 21542 standards to align with ADA compliance to include and not limited to key design aspects of:

- **Maximum load to support.**
- **Minimum length.**
- **Disposition and distribution in the installation.**
- **Diameter of the handle.**
- **Distance from handle to wall.**







# MADE TO MEASURE

Accessibility Design Without  
Compromising Style.



Our commitment to quality involves not only generating innovative and creative proposals, but also safe and accessible solutions without compromising design wherever possible.

To this end, we have a wide range of products designed ergonomically and functionally so that anyone can use the bathroom with autonomy, self-sufficiency and safely.

## 7. QUALITY CONTROL

As part of our service, our Quality Control department ensures that each product complies with local regulations required for each project. Each Sonia product is also tested to satisfy our customers' requirements.

QC Processes include as minimum:

- Product longevity.
- Resistance to scratching, corrosive factors, oxidation, etc.
- Better 10 Years.
- Approvals, certificates, compliance.





# REGULATIONS COMPLIANCE

## Accessories:

UNE 67100  
Bathroom Accessories. Terms, general features and tests.

UNE EN 3497  
Metallic coatings. Measurement of coating thickness. X-Ray spectrometric methods.

UNE EN ISO 1456  
Metallic and other inorganic coatings - Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and copper plus nickel plus chromium.

UNE EN ISO 9227  
Tests in artificial conditions - Salt spray tests.

UNE EN ISO 4541  
Metallic and other non-organic coatings. Corrodcode corrosion test.

UNE EN ISO 2819  
Metal coatings on metallic substrates. Electrodeposited and chemically deposited coatings. Review of methods available for testing adhesion.

EN-ISO 10289:2001.  
Methods for corrosion testing of metallic and other inorganic coatings on metallic substrates - Rating of test specimens and manufactured articles subjected to corrosion tests.

## Furniture:

UNE EN 14749  
Domestic and kitchen storage units and worktops - Safety requirements and test methods.

UNE 56867  
Bathroom furniture. Testing of surface finishes.

UNE 56868  
Bathroom furniture. Physical test methods.

UNE 56865  
Bathroom furniture general construction features.

UNE 56866  
Bathroom furniture mechanical test.

## Basins:


UNE 67001  
Ceramic sanitary ware. Technical specifications.

UNE EN 31  
Wash basins - Connecting dimensions.

UNE EN 14688  
Sanitary appliances - Wash basins - Functional requirements and test methods.

## Lights:


UNE-EN 60598-1  
Luminaries. Part 1: General requirements and tests.



Coating surface tests.  
Physical weight tests resistance.




Corrosion salt fog chamber test.



Cabinets and drawers resistance weight tests.  
Surface coating tests against stains and abrasives.



# CONTRACT SPACE






# 1 ACCESSORIES


1.1	S-Cube	38
1.2	Tecno Project	46
1.3	E-plus	56
1.4	Loop & Line	66
1.5	S6	76
1.6	Genoa	84
1.7	S1	90

# 2 HOSPITALITY

2.1	Safety Equipment	100	2.7	Soap Dispensers	144
2.2	Wire Baskets	106	2.8	Magnifying Mirrors	152
2.3	Towel Shelves - Shower door handles	114	2.9	Bins	158
2.4	Shelves and Holders	120	2.10	Robe Hooks	164
2.5	Hair & Hand Dryers	124	2.11	Toilet Brushes	172
2.6	Paper Holders & Dispensers	132			











## ACCESSORIES







## 1.1 S-CUBE COLLECTION




---

By definition, S-Cube is geometrically pure. With a linear and simple profile, the components on each piece elegantly come together to bring presence and personality to the series.



**An elegant and linear  
collection inspired by  
minimalist architecture.**

Each and all the elements in this series are originate out of this principle. The glass components display as though suspended over floating platforms, and the bar conforms to the main body like the metal structure of a building. The square profile of the series repeats in the different sets defining the style of S-Cube.





**Manufacture:**

Body components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**


Available in polished chrome as well as black and white epoxy. Other finishes may be available for your project upon request.

**Installation:**

- Standard drill with peg and screw to wall.
- 3M adhesive backplate for most of its components.


Handcrafted glass elements remain suspended by a thin metallic rectangular support.

## TOWEL BAR




DUAL FIX

A: 300 mm. (12")	CHROME	Ref. 166770
A: 300 mm. (12")	BLACK	Ref. 172986
A: 300 mm. (12")	WHITE	Ref. 176311
A: 400 mm. (15")	CHROME	Ref. 166787
A: 400 mm. (15")	BLACK	Ref. 173389
A: 400 mm. (15")	WHITE	Ref. 176335
A: 500 mm. (18")	CHROME	Ref. 166794
A: 500 mm. (18")	BLACK	Ref. 172993
A: 500 mm. (18")	WHITE	Ref. 176403
A: 600 mm. (18")	CHROME	Ref. 173426
A: 600 mm. (18")	BLACK	Ref. 173402
A: 600 mm. (18")	WHITE	Ref. 176410
A: 750 mm. (30")	CHROME	Ref. 166800
A: 750 mm. (30")	BLACK	Ref. 173419
A: 750 mm. (30")	WHITE	Ref. 176427




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0, 8mm brass tube.
- Stainless steel assembly hardware.

## OPEN TOWEL RING




DUAL FIX

CHROME	Ref. 166824
BLACK	Ref. 173013
WHITE	Ref. 176304




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0, 8mm brass tube.
- Zamak 5 injected caps.
- Stainless steel assembly hardware.

## SWING TOWEL BAR



CHROME Ref. 168019




- Wall backplate in machined brass.
- Machined brass support.
- Brass tube Ø12 by 0, 8 mm thickness.
- Machined brass caps.
- Stainless steel assembly hardware.

## SOAP DISPENSER



CHROME Ref. 166848  
BLACK Ref. 173044  
WHITE Ref. 172474




- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.
- Machined brass button.

## TUMBLER HOLDER



CHROME Ref. 166831  
BLACK Ref. 169924  
WHITE Ref. 172481




- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## SOAP DISH



CHROME Ref. 166886  
BLACK Ref. 169931  
WHITE Ref. 172498




- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.



## COVERED TOILET ROLL HOLDER




CHROME Ref. 166862  
BLACK Ref. 173020  
WHITE Ref. 176397




- Plate made of brass 1, 5mm.
- Retractable roll spindle made of chromed ABS.

## OPEN TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 166879  
BLACK Ref. 173037  
WHITE Ref. 176366




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0,8mm brass tube.
- Zinc die casting caps.
- Stainless steel assembly hardware.

## SHELF COVER TOILET ROLL HOLDER



CHROME Ref. 173938  
BLACK Ref. 176373  
WHITE Ref. 176380




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support
- 20 x 10 x 0,8mm brass tube
- Lid in brass plate of 1 mm
- Stainless steel assembly hardware.

## DOUBLE ROBE HOOK



DUAL FIX

CHROME Ref. 166817  
BLACK Ref. 173006  
WHITE Ref. 176359




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.

## WC BRUSH SET



CHROME Ref. 166855  
BLACK Ref. 169979  
WHITE Ref. 172535




- Zinc die casting support. Handcrafted blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.

## ADHESIVE BACKPLATE



Recommended for walls with a max roughness of 0,5 mm. Also humidity resistant.

CHROME Ref. 161638  
BLACK Ref. 172412  
WHITE Ref. 172542



- Brass plate 3 mm.








## 1.2 TECNO PROJECT COLLECTION

---

The architectural favorite design with firm strokes and very well defined contours, offers great power of distinction while still paying attention to the rest of the environment. A neutral beauty.



**Tecno Project is the series with the most acceptance for projects in its lifetime.**

Built with a compact construction, it is the accessory collection with the widest and most versatile range of items at Sonia.

Simple and cylindrical designs cross each other to shape the design of the bar and repeating this concept throughout the rest of the pieces in this series.

Tecno Project is simple and sophisticated at the same time, a design conceived and developed to create for any environment its own personality.

**Construction:**

Body components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**

Available in polished chrome, polished nickel, brushed nickel as well as black and white epoxy. Other finishes may be available for your project upon request.

**Installation:**


- Standard drill with peg and screw to wall.
- 3M Backplate for most of its components.

TOWEL BAR



## DUAL FIX

A: 300 mm. (12")	CHROME	Ref. 116799
A: 300 mm. (12")	BLACK	Ref. 166183
A: 300 mm. (12")	WHITE	Ref. 166060
A: 500 mm. (18")	CHROME	Ref. 116805
A: 500 mm. (18")	BLACK	Ref. 166190
A: 500 mm. (18")	WHITE	Ref. 166077
A: 600 mm. (24")	CHROME	Ref. 116812
A: 600 mm. (24")	BLACK	Ref. 166206
A: 600 mm. (24")	WHITE	Ref. 166084
A: 750 mm. (30")	CHROME	Ref. 116829
A: 900 mm. (35")	CHROME	Ref. 120468




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- ABS injection caps.
- Stainless steel assembly hardware.

## DOUBLE TOWEL BAR



## DUAL FIX

A: 600 mm. (24")	CHROME	Ref. 118021
A: 750 mm. (30")	CHROME	Ref. 118038
A: 900 mm. (35")	CHROME	Ref. 159581




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- ABS injection caps.
- Stainless steel assembly hardware.

SWING TOWEL BAR



CHROME Ref. 116867



- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Machined brass caps.
- Stainless steel assembly hardware.



## FIXED TOWEL BAR



CHROME Ref. 153312  
BLACK Ref. 176793  
WHITE Ref. 176854

## TUMBLER HOLDER



DUAL FIX

CHROME Ref. 116935  
BLACK Ref. 166237  
WHITE Ref. 166114




## SOAP DISPENSER



DUAL FIX

Capacity 195 ml.

CHROME Ref. 118281  
BLACK Ref. 166244  
WHITE Ref. 166121




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- Machined brass caps.
- Stainless steel assembly hardware.

- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.


- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted glass blowing 195 ml. machined brass pushbutton.
- Stainless steel assembly hardware.

## OPEN TOWEL RING



DUAL FIX

CHROME Ref. 116973  
BLACK Ref. 176779  
WHITE Ref. 176830




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass rod Ø10mm.
- Stainless steel assembly hardware.

## TOWEL RING



DUAL FIX

A: 180 mm. (7")	CHROME Ref. 117031
A: 180 mm. (7")	BLACK Ref. 176786
A: 180 mm. (7")	WHITE Ref. 176847
A: 210 mm. (8")	CHROME Ref. 116911
A: 210 mm. (8")	BLACK Ref. 166220
A: 210 mm. (8")	WHITE Ref. 166107




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø9, 5 x 0, 6 mm thickness.
- Stainless steel assembly hardware.

## OPEN TOWEL RING



DUAL FIX

CHROME Ref. 116928  
BLACK Ref. 176809  
WHITE Ref. 176861




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass rod Ø10mm.
- Stainless steel assembly hardware.

- Drill with peg and screw
- 3M adhesive backplate

ROBE HOOK



A = Ø25 mm. ( 1" )	CHROME	Ref. 118090
A = Ø25 mm. ( 1" )	BLACK	Ref. 166213
A = Ø25 mm. ( 1" )	WHITE	Ref. 166091
A = Ø35 mm. ( 1 3/8" )	CHROME	Ref. 116881
A = Ø35 mm. ( 1 3/8" )	BLACK	Ref. 170364
A = Ø35 mm. ( 1 3/8" )	WHITE	Ref. 176816




- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.

DOUBLE ROBE HOOK



CHROME	Ref. 116898
BLACK	Ref. 172320
WHITE	Ref. 172405




- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.

TRIPLE ROBE HOOK



CHROME	Ref. 116904
BLACK	Ref. 176762
WHITE	Ref. 176823



- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.




## METAL SOAP DISH



DUAL FIX

OPEN	CHROME	Ref. 116959
OPEN	BLACK	Ref. 173846
OPEN	WHITE	Ref. 177370
CLOSE	CHROME	Ref. 116942
CLOSE	BLACK	Ref. 166251
CLOSE	WHITE	Ref. 166138




- Bichromated steel wall backplate.
- Zinc die casting support.
- Plate of Zinc die casting.
- Stainless steel assembly hardware.

## SOAP DISH



DUAL FIX

CHROME	Ref. 117048
BLACK	Ref. 166268
WHITE	Ref. 166145




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## DOUBLE ROLL HOLDER



DUAL FIX

CHROME	Ref. 116980
BLACK	Ref. 173853
WHITE	Ref. 177356




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- With Zinc die casting caps.
- Stainless steel assembly hardware.

## OPEN TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 116997  
BLACK Ref. 166275  
WHITE Ref. 166152




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- With Zinc die casting caps.
- Stainless steel assembly hardware.

## TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 116966  
BLACK Ref. 166282  
WHITE Ref. 166169




- Bichromated steel wall backplate.
- Zinc die casting support.
- Lid in brass plate thickness 1mm
- Brass rod Ø7mm.
- Stainless steel assembly hardware.

## WC BRUSH SET



DUAL FIX

CHROME Ref. 117000  
BLACK Ref. 166299  
WHITE Ref. 166176




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handmade blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.

## METAL WC BRUSH SET



CHROME Ref. 117017




- Zinc die casting backplate.
- Body of brass tube.
- Inside polypropylene cover.
- Brush handle of brass tube.
- Machined brass caps.

## METAL WC BRUSH SET



CHROME Ref. 052929  
BLACK Ref. 168200  
WHITE Ref. 175918




- Zinc die casting backplate.
- Body of brass tube.
- Inside polypropylene cover.
- Brush handle of brass tube.
- Machined brass caps.

## ADHESIVE BACKPLATE



CHROME Ref. 177059  
BLACK Ref. 177066  
WHITE Ref. 177073



- Aluminium plate 4 mm.









## 1.3 E-PLUS COLLECTION

---

Multipurpose and functional series that takes advantage of its simple and harmonious lines to blend in any bathroom décor.



**E-Plus is one of  
the most proven  
and competitive  
collections for  
projects.**





**Manufacture:**

Body components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**

Finishes: available in polished chrome. Other finishes may be available for your project upon request.

**Installation:**

- Standard drill with peg and screw to wall.
- 3M adhesive backplate for most of its components.


E-Plus Collection is part of large hotel projects demanding functional character.

## TOWEL BAR




DUAL FIX

A: 300 mm. (12")	CHROME	Ref. 124442
A: 500 mm. (18")	CHROME	Ref. 124459
A: 550 mm. (22")	CHROME	Ref. 128884
A: 600 mm. (24")	CHROME	Ref. 124466
A: 750 mm. (30")	CHROME	Ref. 124473




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- ABS injection caps.
- Stainless steel assembly hardware.

## DOUBLE TOWEL BAR



DUAL FIX

CHROME Ref. 124480




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- ABS injection caps.
- Stainless steel assembly hardware.

## SWING TOWEL BAR



CHROME Ref. 116867




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- Machined brass caps.
- Stainless steel assembly hardware.

## FIXED TOWEL BAR




CHROME Ref. 153312




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube  $\varnothing 18$  by 0,8 mm thickness.
- Machined brass caps.
- Stainless steel assembly hardware.

## ROBE HOOK




DUAL FIX

CHROME Ref. 124503




- Bichromated steel wall backplate.
- Zinc die casting support.
- Cap made of injected ABS.

## DOUBLE ROBE HOOK



DUAL FIX

CHROME Ref. 068593




- Bichromated steel backplate wall.
- Zinc die casting brackets.



## TUMBLER HOLDER



CHROME Ref. 124534




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## OPEN METAL SOAP DISH



CHROME Ref. 124572




- Bichromated steel wall backplate.
- Zinc die casting support.
- Bowl of Zinc die casting.
- Stainless steel assembly hardware

## SOAP DISH



CHROME Ref. 124558




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## SOAP DISPENSER



Capacity 195 ml.

CHROME Ref. 124619



- Bichromated steel backplate wall.
- Zinc die casting support. Handcrafted glass blowing 195 ml.
- Machined brass button.
- Stainless steel assembly hardware.


## TOWEL RING



DUAL FIX

A: 180 mm. (7") - BIDÉ  
A: 210 mm. (8") - LAVABO

CHROME Ref. 124527  
CHROME Ref. 124510




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø9, 5 x 0, 6 mm thick.
- Stainless steel assembly hardware.

## DOUBLE TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 127535




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel assembly hardware.

## OPEN TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 124596




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel assembly hardware.

## TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 124589




- Bichromated steel wall backplate.
- Zinc die casting support.
- Lid in brass plate thickness 1mm
- Brass rod Ø7mm.
- Stainless steel assembly hardware.

## STANDARD TOILET ROLL HOLDER



CHROME Ref. 120574




- Wall Backplate of Zinc die casting.
- Lid in brass plate thickness 1mm
- Brass rod Ø7mm.
- Stainless steel assembly hardware.



## WC BRUSH SET



CHROME Ref. 124602




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.

- Brush handle of polycarbonate.
- Machined brass caps.
- Stainless steel assembly hardware.



## ADHESIVE BACKPLATE




CHROME Ref. 177059



- Aluminium plate 4 mm.





## 1.4 COLECCIONES LOOP & LINE

---

**Two different series available in kits. These are inspired by two basic geometric shapes, the circle and the square.**

The use of this simple style makes it possible to provide solutions that fit perfectly in any bathroom space.


As part of this approach, a balance was sought in its size to ensure all pieces fit and combine harmoniously.





**Versatility and Balance are  
the main features of Loop.**

Thanks to the use of simple forms,  
this collection can be adapted and  
integrated with most bathroom  
designs bringing harmony and  
sophistication to the space.



This range of accessories is simple  
and accessible to complete any  
type of project.  
Loop is characterized by its  
cylindrical base and rounded  
geometric shapes in different sizes  
and it is further distinguished by  
the simplicity and combination of  
its parts.

**Manufacture:**

Body components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**

Available in polished chrome. Other finishes may be available for your project upon request.


**Installation:**

- Standard drill with peg and screw to wall.


The perfect combination of simplicity and plainness.

LOOP

TOWEL BAR



CHROME Ref. 179725




- AISI 304 steel wall backplate.
- Zinc die casting support.
- AISI 304 steel tube Ø18 by 0, 8 mm thickness.
- Stainless steel assembly hardware.

TUMBLER HOLDER



CHROME Ref. 179763




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Support ring in stainless steel.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

SOAP DISH



CHROME Ref. 179770




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Support ring in stainless steel.
- Handcrafted blown glass.
- Stainless steel assembly hardware.



## TOWEL RING



CHROME Ref. 179732




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Stainless steel tube  $\varnothing 9,5 \times 0,6\text{mm}$  thickness.

- Stainless steel assembly hardware.

## ROBE HOOK



CHROME Ref. 179749




- AISI 304 steel wall backplate.
- Zinc die casting backplate
- Stainless steel body.
- Stainless steel assembly hardware.

## OPEN TOILET ROLL HOLDER



CHROME Ref. 179756




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Lid in stainless steel plate thickness


- Stainless steel rod  $\varnothing 8\text{mm}$ .
- Stainless steel assembly hardware.



Line is introduced  
as a collection with  
harmonious geometric  
contrasts.

Its shapes inspired by the  
square shape to make it  
a versatile option which  
is able to adapt to any  
bathroom style.



**Manufacture:**

components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**

Available in polished chrome. Other finishes may be available for your project upon request.

**Installation:**

- Standard drill with peg and screw to wall.


Line appears as the perfect union between harmony and elegance.



TOWEL BAR




CHROME Ref. 179657




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Stainless steel tube Ø18 by 0,8 mm thickness.
- ABS injection caps.
- Stainless steel assembly hardware.

TUMBLER HOLDER



CHROME Ref. 179695




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Support ring in stainless steel.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

SOAP DISH



CHROME Ref. 179701




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Support ring in stainless steel.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## TOWEL RING



CHROME Ref. 179664




- AISI 304 steel wall backplate.
- Zinc die casting support.
- Stainless steel tube  $\varnothing 10 \times 0,6$  mm thickness.
- Stainless steel assembly hardware.

## ROBE HOOK



CHROME Ref. 179671




- AISI 304 steel wall backplate.
- Zinc die casting backplate.
- Stainless steel body.
- Stainless steel assembly hardware.

## OPEN TOILET ROLL HOLDER



CHROME Ref. 179688



- AISI 304 steel wall backplate.
- Zinc die casting support.
- Lid stainless steel plate thickness 0,8mm.
- Brass rod  $\varnothing 8$ mm.
- Stainless steel assembly hardware.







# 1.5 S6 COLLECTION



---

Harmonized collection refined in its design. Its components are exquisite, luscious and carefree which together manages to create a sense of well-being.



The S6 collection is launched with the intention of becoming the contemporary and functional alternative of hotel equipment.

Its profile is characterized by the smooth curves and soft lines that transmit softness and elegance on any environment that seeks to achieve a Zen-like environment.



**Construction:**

Body components made by mold injection of Zinc alloy and machined brass bar.


**Finishes:**

Available in polished chrome. Other finishes may be available for your project upon request.

**Installation:**


- Standard drill with peg and screw to wall.

## TOWEL BAR




DUAL FIX

A: 300 mm. (12")	CHROME	Ref. 160938
A: 300 mm. (12")	BLACK	Ref. 166404
A: 500 mm. (18")	CHROME	Ref. 160945
A: 500 mm. (18")	BLACK	Ref. 166411
A: 750 mm. (30")	CHROME	Ref. 160952
A: 750 mm. (30")	BLACK	Ref. 171392




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0,8 mm brass tube.
- Stainless steel assembly hardware.

## DOUBLE TOWEL BAR




DUAL FIX

A: 750 mm. (30") CHROME Ref. 164431




- Backplate to wall injection of zamak 5 bichromate.
- Zinc die casting support.
- 20 x 10 x 0,8 mm brass tube.
- Stainless steel assembly hardware.

## SWING TOWEL BAR



CHROME Ref. 167456




- Wall backplate of bichromated Zinc die casting..
- Zinc die casting support.
- Bars made of 20 x 3 mm brass plate.



OPEN TOWEL RING



CHROME Ref. 160983  
BLACK Ref. 166428




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0, 8mm brass tube.
- ABS plugs.
- Stainless steel assembly hardware.

TOWEL RING



CHROME Ref. 165926  
BLACK Ref. 168224




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Brass tube Ø9, 5 x 0, 6 mm thickness.
- Stainless steel Assembly hardware.

OPEN TOWEL RING



CHROME Ref. 160976  
BLACK Ref. 177363




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0, 8mm brass tube.
- ABS plugs.
- Stainless steel Assembly hardware.

## ROBE HOOK



DUAL FIX

CHROME Ref. 122035  
BLACK Ref. 166435




- Bichromated steel wall blackplate.
- Zinc die casting support.

## OPEN TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 161027  
BLACK Ref. 166480




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0,8mm brass tube.
- Injection ABS caps.
- Stainless steel assembly hardware.

## TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 161034  
BLACK Ref. 166473




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Lid in brass plate thickness 1mm.
- Brass rod Ø7mm.
- Stainless steel assembly hardware.

## SOAP DISH



CHROME Ref. 161003  
BLACK Ref. 166459




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## SOAP DISPENSER



CHROME Ref. 161010  
BLACK Ref. 166466




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Handcrafted glass blowing 322 ml.
- Machined brass button.
- Stainless steel assembly hardware.

## TUMBLER HOLDER



CHROME Ref. 160990  
BLACK Ref. 166442




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.



## WC BRUSH SET




CHROME Ref. 161041  
BLACK Ref. 166497




- Wall backplate of bichromated Zinc die casting.
- Zinc die casting support.
- Handcrafted blown glass.

- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.



## ADHESIVE BACKPLATE



 Recommended for walls with a max roughness of 0,5 mm. Also humidity resistant.



CHROME Ref. 161652  
BLACK Ref. 168217



- Brass plate 3 mm.







# 1.6

## GENOA COLLECTION

---


Contemporary reinterpretation of the traditional style in a balanced and technically impeccable collection.





**This collection is the necessary resource for the reinterpretation and revival of the classic style in a novel and sophisticated fashion.**

This series brings to all projects care and exquisiteness to detail. Inspired by the attractive classic design the pieces are characterized for its pompous and rounded style. Each piece is manufactured using a combination of artisan and technological techniques.



**Construction:**

Body components made by mold injection of Zinc and machined in brass.

**Finishes:**

Available in polished chrome as well as Rose. Other finishes may be available for your project upon request.


**Installation:**

Standard drill with peg and screw to wall.

## TOWEL BAR



A: 300 mm. (12")	CHROME	Ref. 107094
A: 500 mm. (18")	CHROME	Ref. 107148
A: 600 mm. (24")	CHROME	Ref. 107193




- Wall backplate in machined brass.
- Machined brass support
- Brass tube Ø18 by 0,8 mm thickness.
- Stainless steel assembly hardware.

## ROBE HOOK



CHROME Ref. 107391




- Wall backplate in machined brass.
- Machined brass support.
- Stainless steel assembly hardware.

## TUMBLER HOLDER



CHROME Ref. 107490




- Wall backplate in machined brass.
- Machined brass support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## SOAP DISPENSER



CHROME Ref. 107599




- Wall backplate in machined brass.
- Machined brass support.
- Handcrafted blown glass 195 ml.
- Stainless steel assembly hardware.
- Machined brass button.

## SOAP DISH



CHROME Ref. 107544




- Wall backplate in machined brass.
- Machined brass support.
- Handcrafted blown glass.
- Stainless steel assembly hardware.

## TOILET ROLL HOLDER




CHROME Ref. 107698




- Wall backplate in machined brass.
- Machined brass support.
- Lid in brass plate thickness 1 mm.
- Brass rod Ø 10mm.
- Stainless steel assembly hardware.



## OPEN TOILET ROLL HOLDER




CHROME Ref. 121632




- Wall backplate in machined brass.
- Machined brass support
- Brass rod Ø 10mm.
- Stainless steel assembly hardware.

## TOWEL RING



CHROME Ref. 107445




- Wall backplate in machined brass.
- Machined brass support.
- Brass tube Ø9, 5 x 0, 6 mm thickness.
- Stainless steel assembly hardware.

## WC BRUSH SET



CHROME Ref. 107643



- Wall backplate in machined brass.
- Machined brass support Handcrafted blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.









## 1.7 S1 COLLECTION

---


Unique bathroom accessories that convey safety and authority. Ideal for large projects in which each decorative element contributes to the personality of the bathroom space.





**S1 is the modern, robust and forceful collections family version. The perfect option for the new industrial style.**

The Suit version provides a differentiating factor the rest of collections. The design of the wall bracket allows you to slide over the pipe to cover an old installation or customizing a toolbar in different sections of use.



**Construction:**

Body components made by mold injection of Zinc alloy and machined brass bar.

**Finishes:**

Available in polished chrome. Other finishes may be available for your project upon request.

**Installation:**


- Standard drill with peg and screw to wall.
- 3M adhesive backplate for most of its components.

## TOWEL BAR



DUAL FIX

A: 500 mm. (18") CHROME Ref. 121762  
A: 600 mm. (24") CHROME Ref. 121793  
A: 750 mm. (30") CHROME Ref. 121823




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Stainless steel assembly hardware.

## ROBE HOOK



DUAL FIX

CHROME Ref. 122035




- Bichromated steel wall backplate.
- Zinc die casting support.
- Stainless steel assembly hardware.

## OPEN TOWEL RING



DUAL FIX

CHROME Ref. 128181




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel assembly hardware.

## TUMBLER HOLDER



DUAL FIX

CHROME Ref. 122097




- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Assembly of stainless steel hardware

## SOAP DISH



DUAL FIX

CHROME Ref. 122127



- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted blown glass.
- Assembly of stainless steel hardware


## SOAP DISPENSER



DUAL FIX

Capacity 260 ml.

CHROME Ref. 122240



- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcrafted glass blowing 260 ml.
- Machined brass button.
- Stainless steel Assembly hardware.




## TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 122158




- Bichromated steel wall backplate.
- Zinc die casting support.
- Lid in brass plate thickness 1mm brass
- Ø7mm rod.
- Stainless steel assembly hardware.

## OPEN TOILET ROLL HOLDER



DUAL FIX

CHROME Ref. 128211




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel assembly hardware.

## WC BRUSH SET




DUAL FIX

CHROME Ref. 122219





- Bichromated steel backplate wall.
- Zinc die casting support.
- Handcrafted blown glass.
- Acrylic brush handle.
- Stainless steel assembly hardware.

## ADHESIVE BACKPLATE



CHROME Ref. 161638

 Recommended for walls with a max roughness of 0,5 mm. Also humidity resistant.





- Brass plate 3 mm.

## HORIZONTAL ADHESIVE BACKPLATE



CHROME Ref. 154173

 Recommended for walls with a max roughness of 0,5 mm. Also humidity resistant.



- Brass plate 3 mm.

## TOWEL BAR



SLIDE & COVER



DUAL FIX

A: 500 mm. (18")	CHROME	Ref. 161454
A: 600 mm. (24")	CHROME	Ref. 161461
A: 750 mm. (30")	CHROME	Ref. 161478

## OPEN TOWEL RING LEFT / RIGHT



SLIDE & COVER



DUAL FIX

CHROME Ref. 161485

## OPEN TOILET ROLL HOLDER LEFT / RIGHT






SLIDE & COVER



DUAL FIX

CHROME Ref. 161492




- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Machined brass caps.
- Stainless steel Assembly hardware.

- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel Assembly hardware.

- Bichromated steel wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0,8 mm thickness.
- Zamak 5 injected caps.
- Stainless steel Assembly hardware.







**HOSPITALITY**

---









## 2.1 SAFETY EQUIPMENT


---

# GRAB BARS & SAFETY EQUIPMENT

## GRAB BAR



A: 300 mm. (12")	SATIN STAINLESS STEEL	Ref. 118151
A: 400 mm. (16")	SATIN STAINLESS STEEL	Ref. 118168
A: 600 mm. (24")	SATIN STAINLESS STEEL	Ref. 118175
A: 750 mm. (30")	SATIN STAINLESS STEEL	Ref. 118199




- 1.5 mm steel tube thickness Ø32 AISI 304.
- Trim stainless steel AISI 304 O, 8mm thickness.
- Shield anchor 3 mm thick stainless steel AISI 304.
- Weight sustainable 120 kg max.

## GRAB BAR VERTICAL LEFT



SATIN STAINLESS STEEL Ref. 118229




- 1.5 mm steel tube thickness Ø32 AISI 304.
- Trim stainless steel AISI 304 O, 8mm thickness.
- Shield anchor 3 mm thick stainless steel AISI 304.
- Weight sustainable 404 kg max.

## GRAB BAR VERTICAL RIGHT



SATIN STAINLESS STEEL Ref. 118236




- 1.5 mm steel tube thickness Ø32 AISI 304.
- Trim stainless steel AISI 304 O, 8mm thickness.
- Shield anchor 3 mm thick stainless steel AISI 304.
- Weight sustainable 404 kg max.

## GRAB BAR STANDARD



A: 300 mm. (12")  
A: 600 mm. (24")

CHROME Ref. 052943  
CHROME Ref. 137800




- Wall backplate 3mm zinc plated stamped brass.
- The scutcheon is inlaid in brass plate.
- O24x1mm brass tube.
- Weight sustainable 120 kg max.

## GRAB BAR ANGULAR STANDARD



CHROME Ref. 052950




- Wall backplate 3mm zinc plated stamped brass.
- The scutcheon is inlaid in brass plate.
- O24x1mm brass tube.
- Weight sustainable 120 kg max.

## GRAB BAR ANGULAR WITH BASKET STANDARD



CHROME Ref. 052967



- Wall backplate 3mm zinc plated stamped brass.
- The scutcheon is inlaid in brass plate.
- O24x1mm brass tube.
- Weight sustainable 120 kg max.




## GRAB BARS & SAFETY EQUIPMENT

## GRAB BAR LUX



CHROME Ref. 153237  
BLACK Ref. 176083






- Wall backplate rectangular aluminium profile.
- Supports rectangular brass profile.
- O25x1mm brass tube.
- Machined brass caps.
- Weight sustainable 120 kg max.

## GRAB BAR ANGULAR LUX



CHROME Ref. 153244  
BLACK Ref. 176090





- Wall backplate rectangular aluminium profile.
- Supports rectangular brass profile.
- O25x1mm brass tube.
- Machined brass caps.
- Weight sustainable 120 kg max.

## SHOWER SEAT




POLISHED STAINLESS STEEL Ref. 175284  
SATIN STAINLESS STEEL Ref. 175291




- U Wall backplate in 3mm steel AISI 304.
- Steel sheets AISI 304 stainless steel, 1.7 mm thickness.
- Satin.
- Frame in stainless steel tube AISI 304, diam 36 mm.

## GRAB BAR ANGULAR




SATIN STAINLESS STEEL Ref. 118212




- 1.5 mm steel tube thickness Ø32 AISI 304.
- Shield anchor 3 mm thick stainless steel AISI 304.
- Trim stainless steel AISI 304 0, 8mm thickness.
- Weight sustainable 120 kg max.

## GRAB BAR SWING-UP



SATIN STAINLESS STEEL Ref. 090563



- Wall backplate 3mm AISI 304 stainless steel.
- Stainless Steel AISI 304 Ø32 x 1, 5mm thick.
- Stainless steel assembly hardware.





## 2.2 WIRE BASKETS


---

WIRE BASKETS

S5 WIRE BASKET 21



POL. ST. STEEL Ref. 141494  
BLACK Ref. 176496




- AISI 304 stainless steel 2mm bar frame.
- Stainless steel 1,5mm inside base plate.
- Stainless steel machined supports.
- Stainless steel assembly hardware.

S5 WIRE BASKET 31



POL. ST. STEEL Ref. 141500  
BLACK Ref. 176502




- AISI 304 stainless steel 2mm bar frame.
- Stainless steel 1,5mm inside base plate.
- Stainless steel machined supports.
- Stainless steel assembly hardware.

S5 CORNER WIRE BASKET



POL. ST. STEEL Ref. 141517  
BLACK Ref. 176519




- AISI 304 stainless steel 2mm bar frame.
- Stainless steel 1,5mm inside base plate.
- Stainless steel machined supports.
- Stainless steel assembly hardware.

SQUARE WIRE BASKET



CHROME Ref. 052936




- Ø3mm brass rods brass bar frame.
- Zinc die casting support.
- Stainless steel assembly hardware.

MEDIUM COMBINED WIRE BASKET



CHROME Ref. 086993




- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Zinc die casting support.
- Stainless steel assembly hardware.

SMALL CORNER WIRE BASKET



CHROME Ref. 087990



- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Zinc die casting support.
- Stainless steel assembly hardware.



# WIRE BASKETS

DEEP LARGE CORNER WIRE BASKET



CHROME Ref. 145003

DOUBLE CORNER WIRE BASKET




CHROME Ref. 060795


TRIPLE CORNER WIRE BASKET




CHROME Ref. 055012



- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Zinc die casting support.
- Stainless steel assembly hardware.



- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Zinc die casting support.
- Stainless steel assembly hardware.




- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Zinc die casting support.
- Stainless steel assembly hardware.

## RECTANGULAR WIRE BASKET MIX




DUAL FIX

CHROME Ref. 157549




- Frame in brass 15x6mm shield.
- $\varnothing 3$ mm brass rods.
- Machined brass support
- Option of installation with bracket Ref.157570 option.

## COMBINED WIRE BASKET MIX



DUAL FIX

CHROME Ref. 157556




- Frame in brass 15x6mm shield.
- $\varnothing 3$ mm brass rods.
- Machined brass support
- Option of installation with bracket Ref.157570 option.

## DOUBLE WIRE BASKET MIX



DUAL FIX

CHROME Ref. 157563



- Frame in brass 15x6mm shield.
- $\varnothing 3$ mm brass rods.
- Machined brass support
- Option of installation with bracket Ref.157570 option.

## WIRE BASKETS

### DUAL FIX


- Drill with peg and screw
- 3M adhesive backplate

#### CORNER WIRE BASKET MIX



DUAL FIX

CHROME Ref. 157518




- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Machined brass support
- Option of installation with bracket. Ref.157570 option.

#### SHOWER SCREEN WIRE BASKET




With wiper  
Without wiper

CHROME Ref. 172177  
CHROME Ref. 172337




- Frame in brass 15x6mm shield.
- Ø3mm brass rods.
- Machined brass support
- Option of installation with bracket Ref.157570 option.

#### ADHESIVE BACKPLATE WIRE BASKETS MIX



2 units for single basket, and 4 units for double.  
Recommended for walls with a max roughness of 0,5mm. Also humidity resistant.


CHROME Ref. 157570




- 3 mm brass plate.
- 3M taping system special wet areas.



S-CUBE WIRE BASKET COMBINED 220 MM (8")




CHROME Ref. 177196




- Frame and rods in welded brass.
- Stainless steel assembly hardware.

S-CUBE WIRE BASKET LARGE 275 MM (10")




CHROME Ref. 177202




- Frame and rods in welded brass.
- Stainless steel assembly hardware.

S-CUBE CORNER WIRE BASKET



CHROME Ref. 177219



- Frame and rods in welded brass.
- Stainless steel assembly hardware.





## 2.3 TOWEL SHELVES SHOWER DOOR HANDLES

---




# TOWEL SHELVES

## ALUTECH TOWEL RACK




WHITE Ref. 173792  
BLACK Ref. 176076




- Aluminium laser cutting sheet.
- Powder-coated colors.
- It supports 10 Kg load.
- Stainless steel assembly hardware.

- OPTIONAL: Suitable for installation outdoors. Coated by cathoporesis of high resistance. Available on request.

## STANDARD TOWEL RACK



CHROME Ref. 087051




- Wall backplate mounting plate of brass 3 mm.
- Structure or brass Ø10mm bar side.
- Racks made in brass Ø6mm.
- It supports 10 Kg load.

## PROJECT TOWEL RACK



CHROME Ref. 031696




- Wall backplate of injection of zamak 5.
- Structure or ø14x1mm brass tube side.
- Racks made in ø10x1mm brass tube.
- It supports 10 Kg load.

## TECNO PROJECT TOWEL RACK



A = 45 cm (18") CHROME Ref. 120437  
A = 65 cm (26") CHROME Ref. 117024




- Wall backplate of injection of zamak 5.
- Injection of zamak 5 stands.
- Side bars  $\phi 14 \times 1$  brass tube, 5mm.
- Cross 10x1mm brass tube.
- It supports 10 Kg load.
- Stainless steel assembly hardware.

## TOWEL RACK



POLISHED STAINLESS STEEL Ref. 175239




- Rear wall 1, 6mm AISI 304 steel.
- Side bars welded in  $\phi 9$ mm AISI 304 steel tubes.
- Racks in AISI 304 steel profile.
- It supports 10 Kg load.
- Stainless steel assembly hardware.

## S2 TOWEL RACK



CHROME Ref. 175277




- Side bars made of  $\phi 10 \times 30$ mm brass tube.
- It supports 10 Kg load.

SHOWER DOOR HANDLES

SHOWER DOOR PULL



CHROME Ref. 154517




- Frame made in brass 12x6mm shield.
- Ø3mm brass rods.
- Hanging supports made in rod of 8 mm brass wrapped in PVC tips.
- Suction attachment to screen.

SHOWER DOOR HANDLE 500MM. (18")



CHROME Ref. 154500




- Frame made in brass 12x6mm shield.
- Ø3mm brass rods.
- Hanging supports made in rod of 8 mm brass wrapped in PVC tips.
- Suction attachment to screen.

SHOWER DOOR HANDLE IN & OUT 500MM. (18")



CHROME Ref. 152957




- Frame made in brass 12x6mm shield.
- Ø3mm brass rods.
- Hanging supports made in rod of 8 mm brass wrapped in PVC tips.
- Suction attachment to screen.

SHOWER DOOR HANDLE + PULL



A: 300 mm CHROME Ref. 152940  
A: 400 mm CHROME Ref. 154524  
A: 500 mm CHROME Ref. 125166



- Frame made in brass 12x6mm shield.
- Ø3mm brass rods.
- Hanging supports made in rod of 8 mm brass wrapped in PVC tips.
- Suction attachment to screen.




## SHOWER CURTAIN ROD




SATIN STAINLESS STEEL Ref. 125234


## CLOTHES HANGER TRHEAD



POLISHED STAINLESS STEEL Ref. 070572



- Wall backplate 3mm zinc plated stamped brass.
- The scutcheon is inlaid in brass plate.
- Aero ø25x1mm AISI 304 tube.
- They are made to measure.



- Steel housing AISI 304.
- Length of cord nylon 2, 5m.



ACCA KAM  
1869  
IL FASCINO DELLA TRADIZIONE  
THE QUALITY OF TRADITION

ACCA KAM  
1869  
IL FASCINO DELLA TRADIZIONE  
THE QUALITY OF TRADITION

ACCA KAM  
1869  
IL FASCINO DELLA TRADIZIONE  
THE QUALITY OF TRADITION  
SCHUMA DA RASO  
SHAVE FOAM  
MOUSSE À RASER  
RASIERSCHUM

ACCA KAM  
1869  
IL FASCINO DELLA TRADIZIONE  
THE QUALITY OF TRADITION



## 2.4 **SHELVES AND HOLDERS**

---




## SHELVES AND HOLDERS

### WIRED SHELF



CHROME Ref. 153282




- Profile of brass wall bracket.
- O3 brass rods.

### GLASS SHELF STANDARD



CHROME Ref. 098248




- Zinc die casting wall brackets.
- 8 mm tempered glass.
- Stainless steel assembly hardware.

### TECNO PROJECT STAINLESS STEEL SHELF




POLISHED STAINLESS STEEL Ref. 159598




- Wall backplate in stamped brass.
- Body in 1,4mm AISI 304
- Stainless steel assembly hardware.

## GLASS CORNER SHELF



CHROME Ref.055258



- Zinc die casting wall brackets.
- 8 mm tempered glass.
- Stainless steel assembly hardware.









## 2.5 HAIR & HAND DRYERS


---

# HAIR DRYERS

## HAIR DRYER BRITOONY



BLACK Ref. 174065  
WHITE Ref. 174072




- Hand pressure on/off switch.
- Rotating nozzle tip.
- Ionic drying equipped.
- Input: 230V / 50-60Hz.
- Output: 1600W.
- Six drying configurations.
- Air flow: 70 and 95m<sup>3</sup>/h.
- Three air temperature settings.
- Class II - IP21.
- Optional: Shaver plug-in.

## HAIR DRYER ALTEO



BLACK Ref. 174089  
WHITE Ref. 174096  
CHROME Ref. 174102  
METALLIC RED Ref. 174126




- Hand pressure on/off switch.
- Rotating nozzle tip.
- Ionic drying equipped.
- Input: 230V / 50-60Hz.
- Output: 1875W.
- Six drying configurations
  - Air flow: 70 and 115m<sup>3</sup>/h.
  - Three air temperature settings
- Class II - IP21.
- c/w coil power cable (35mm) & plug-in.
- Optional: Tamperproof wall mount support.
- Color options: Black, White, Chrome & Metallic red.

## HAIR DRYER ALTEO BASE



WHITE Ref. 174140  
BLACK Ref. 174157




- Hand pressure on/off switch.
- Rotating nozzle tip.
- Ionic drying equipped.
- Input: 230V / 50-60Hz.
- Output: 1875W.
- Six drying configurations.
- Air flow: 70 and 115m<sup>3</sup>/h.
- Three air temperature settings.
- Class II - IP21.
- Optional: Shaver plug-in.

## HAIR DRYER PICCOLO



WHITE Ref. 174133




- Input: 230-115V / 50-60 Hz.
- Rated power : 1200W.
- Two drying settings:
- Airflow: 45 y 70m3/h.
- Class II - IP21.
- Cable length: 25cm.

## MANUAL HAIR DRYER



WHITE Ref. 152643




- Air speed: 54 km/h.
- Air flow rate: 73 m3/h - 1.217 L/min.
- Air outlet temperature: 60 °C.
- Power supply: 240V - 220V / 50 Hz.
- Power rating: 540-1240W.
- Resistance: 1200W.
- Consumption 4, 9-2, 7A.
- Two-speed drying.
- Class II.
- Sound level: 75dBA.
- Supplied with spiral cable (180 - 65cm).

## MANUAL HAIR DRYER WITH SOCKET



540W./1200W. With plug.

WHITE Ref. 152650



- Air speed: 54 km/h.
- Air flow rate: 73 m3/h - 1.217 L/min.
- Air outlet temperature: 60 °C.
- Power supply: 220V-240V / 50 Hz.
- Output: 540W-1240W.
- Resistance: 1200W.
- Consumption 4.9/2.7A.
- Two-speed drying.
- Class II.
- Sound level: 60dBA.
- Supplied with spiral cable (180 - 65cm).
- 2 Sockets for Shaver 115 or 220V.




## HAIR / HAND DRYERS


### DUAL FIX

- Drill with peg and screw
- 3M adhesive backplate

#### HAIR DRYER HOLDER



CHROME Ref. 181650  
BLACK Ref. 181599  
WHITE Ref. 181667




- Bichromated steel wall backplate.
- Zinc die casting support.
- Adjustable rubber ring.
- Stainless steel Assembly hardware.

#### HANDLE HAIR DRYER



WHITE Ref. 152636




- Set up automatic.
- Air speed: 55 km/h.
- Air flow: 65 m<sup>3</sup>/h - 1 L/min.
- Air outlet temperature: 50 ° C.
- Power supply: 220V-240V / 5060Hz.
- Rated power: 600W-1100W.
- Resistance: 1000W.
- Consumption 2, 6-5, 2A.
- Three-speed drying.
- Class II - IP20.
- Noise level: 68dBA.

#### HAND DRYER FUTURA



POLISHED STAINLESS STEEL Ref. 127054  
SATIN STAINLESS STEEL Ref. 127061




- Put up by optical sensor.
- Steel 1,5 mm AISI 304 casing.
- Two-speed air:
- Air speed: 191-325 km/h.
- Air flow rate: 250 m<sup>3</sup>/h.
- Air outlet temperature: 55°C.
- C. Power supply: 230V / 50 Hz.
- Power rating: 1960W.
- Resistance: 1820W.
- Consumption 8, 5A.
- Class I - IPX1.
- Sound level: 58dBA.

HAND DRYER OPTIMA



POLISHED STAINLESS STEEL Ref. 152667  
SATIN STAINLESS STEEL Ref. 152674




- Put up by optical sensor.
- Steel 1,5 mm AISI 304 casing.
- Air speed: 65 mph.
- Air flow rate: 215 m<sup>3</sup>/h 3, 6 L/min.
- Air outlet temperature: 57 °.
- C. Power supply: 220V-240V/5060Hz.
- Rated power: 1640W.
- Resistance: 1500W. 7A consumption.
- Class I - IP21.
- Noise level: 57dBA.

HAND DRYER MACHFLOW



POLISHED STAINLESS STEEL Ref. 174164  
SATIN STAINLESS STEEL Ref. 174171  
BLACK Ref. 174188




- Drying time: 10 to 15 seconds.
- Optical sensor power on.
- Stainless steel 1,5mm AISI 304.
- Dual air speed.
- Air speed: 191 - 325km/h.
- Air flow: 115 - 180m<sup>3</sup>/h. 1.9 - 3L/min.
- Air temperature: 45°C.
- Input: 230V / 50Hz.
- Output: 420W - 1500W.
- Resistance 400W (Option to override).
- Consumption: 3.2A - 6.4A.
- Class I - IP23.
- Noise: 67 - 74dBA.

HAND DRYER AVE



INOX. PULIDO Ref. 180929  
INOX. SATINADO Ref. 180936




- Drying time: 10s.
- Put up by optical sensor.
- Stainless Steel case AISI 304.
- Interior of technical fireproof plastic.
- Air speed: 400km/h.
- Air flow: 220m<sup>3</sup>/h.
- Air temperature (output): 40°C.
- Power input: 220-240V / 50-60Hz.
- Net power: 1400W.
- Resistance: 650W.
- Consumption: 6,1A.
- Class II - IP23.
- Noise: 75dBA.

## HAIR / HAND DRYERS

### HAND DRYER STELLAIR



SILVER Ref. 174027  
WHITE Ref. 174034




- Drying time: 10 - 15 sec.
- Air speed: 400km/h.
- W/o heat resistor.
- Input: 230V / 50Hz.
- Output: 1200W.
- Class II - IP44 - IK10.
- Noise: 73dBA.
- Antibacterial air filter and 1,5L water tank.

### HAND DRYER BLADEFLOW



SATIN STAINLESS STEEL Ref. 174003  
WHITE Ref. 174010




- Drying time: 10-15s.
- Air speed: 342 km/h.
- Air flow 3807L/min (228m³/h).
- Air temperature (output): 60°C.
- Power input: 230V/50-60Hz.
- Net power 1650W.
- Resistance 850W.
- IPX1.
- Noise: 75dBA.
- Stainless Steel case AISI 304.

### HAND DRYER DUALFLOW



WHITE Ref. 174041  
BLACK Ref. 174058




- Drying time: 8 to 15 seconds.
- Air speed: 241-410 km/h.
- Air flow: 1.57-2, 75 L/min (94 - 165m³/h).
- Air outlet temperature: 40°C.
- Power supply: 220 - 240V / 50/60 Hz.
- Rated power: 420 - 1500W.
- Resistance: 400W (possibility to turn it off).
- Class I IPX4.
- Sound level: 62-72dBA.
- ABS shell.



## HAND DRYER TIFÓN



WHITE	Ref. 180943
SILVER	Ref. 180950
BLACK	Ref. 180967
GRAPHITE	Ref. 180974



- Drying time: 10s.
- Put up by optical sensor.
- ANTIBACTERIAL ABS +PC+ PBT VO case.
- Air speed: 540km/h.
- Air flow: 220m<sup>3</sup>/h.
- Air temperature (output): 40°C.
- Power input: 220-240V / 50-60Hz.
- Net power: 1550W.
- Resistance: 500W.
- Consumption: 5,2-7,5A.
- Class II - IP21.
- Noise: 65,6dBA.









## 2.6 PAPER HOLDERS & DISPENSERS

---




TECNO PROJECT OPEN ROLL HOLDER



DUAL FIX

CHROME Ref. 116997  
BLACK Ref. 166275  
WHITE Ref. 166152




E-PLUS DOUBLE OPEN ROLL HOLDER



DUAL FIX

CHROME Ref. 127535




3M TECNO PROJECT FOLDABLE ROLL HOLDER



3M

CHROME Ref. 181261



- Adhesive 3M wall installation system.
- Machined aluminium backplate.
- Machined aluminium brackets.
- Folding shaft in machining brass plate.

- Bichromated wall backplate.
- Zinc die casting support.
- Brass tube Ø18 by 0, 8 mm thickness.
- Zinc die casting caps.
- Stainless steel assembly hardware.


- Bichromated steel backplate wall.
- Zinc die casting support.
- Brass pipe Ø18 by 0, 8 mm thickness.
- With Zinc die casting caps.
- Stainless steel assembly hardware.

## E-PLUS ROLL HOLDER



DUAL FIX

CHROME Ref. 124589




- Bichromated steel wall backplate
- Zinc die casting support.
- Lid in brass plate thickness 1mm.
- Stainless steel assembly hardware.
- Brass rod Ø7mm.

## TECNO PROJECT ROLL PAPER



DUAL FIX

CHROME Ref. 116966  
BLACK Ref. 166282  
WHITE Ref. 166169




- Bichromated steel wall backplate.
- Lid in brass plate thickness 1mm brass Ø7mm rod.
- Stainless steel assembly hardware.
- Zinc die casting support.

## TECNO PROJECT DOUBLE OPEN ROLL HOLDER



DUAL FIX


CHROME Ref. 116980  
BLACK Ref. 173853  
WHITE Ref. 177356




- Bichromated wall backplate.
- Brass tube Ø18 by 0, 8 mm thickness.
- Zinc die casting caps.
- Stainless steel assembly hardware.
- Zinc die casting support.

## PAPER HOLDERS

### S-CUBE ROLL HOLDER



CHROME Ref. 166862  
BLACK Ref. 173020  
WHITE Ref. 176397




- Plate made of brass 1,5mm.
- Retractable roll shaft made in ABS chrome.

### S-CUBE SHELF ROLL HOLDER




CHROME Ref. 173938  
BLACK Ref. 176373  
WHITE Ref. 176380




- Wall backplate of Zinc die casting.
- Zinc die casting support.
- 20 x 10 x 0,8mm brass tube.
- Lid in brass plate of 1 mm.
- Stainless steel assembly hardware.

### S3 DOUBLE ROLL HOLDER



CHROME Ref. 154371




- Backplate to wall of Zinc die casting.
- Zinc die casting support.
- Rods and machined brass caps.
- Top brass plate thickness 1 mm.
- Stainless steel assembly hardware.



## KLEENEX BOX STANDARD



POLISHED STAINLESS STEEL Ref. 127139




- Iron casing stainless steel AISI 304.
- Capacity a box 100 facial tissues.
- Installation to wall or desktop.

## KLEENEX BOX TECH



POLISHED STAINLESS STEEL Ref. 031276




- Iron casing stainless steel AISI 304.
- Capacity a box 100 facial tissues.

## HYGIENIC BAG DISPENSER



POLISHED STAINLESS STEEL Ref. 158874  
SATIN STAINLESS STEEL Ref. 158881




- Stainless Steel plate 1mm AISI 304.
- It requires consumable hygienic bags in carton of 136x91x24mm.

# RECESSED PAPER HOLDERS

## RECESSED ROLL HOLDER



POLISHED STAINLESS STEEL    Ref. 175468




- Stainless Steel cover 0,8mm, AISI 304.
- Retractable roll spindle in ABS chrome finish.

## DOUBLE RECESSED ROLL HOLDER



POLISHED STAINLESS STEEL    Ref. 174249




- Stainless Steel cover 0,8mm, AISI 304.
- Retractable roll spindle in ABS chrome finish.

## RECESSED ROLL HOLDER / DISPENSER



SATIN STAINLESS STEEL    Ref. 175475




- Two-roll capacity.
- Stainless Steel cover and lid 1,2mm acero inoxidable AISI 304.
- Key lock.

## SEMI-RECESSED ROLL HOLDER



POLISHED STAINLESS STEEL Ref. 174263




- Stainless Steel cover 0,8mm, AISI 304.
- Retractable roll spindle in ABS chrome finish.

## DOUBLE SEMI-RECESSED ROLL HOLDER



POLISHED STAINLESS STEEL Ref. 174270




- Stainless Steel cover 0,8mm, AISI 304.
- Retractable roll spindle in ABS chrome finish.

## SEMI-RECESSED ROLL HOLDER / DISPENSER



SATIN STAINLESS STEEL Ref. 174287



- Two-roll capacity.
- Stainless Steel cover and lid 1,2mm acero inoxidable AISI 304.
- Key lock.




# PAPER DISPENSERS

## TRIPLE ROLL DISPENSER



POLISHED STAINLESS STEEL Ref. 174195  
SATIN STAINLESS STEEL Ref. 174201




- Capacity three rolls.
- Stainless steel plate 0,8 mm AISI 304.
- Swing refilling cover.
- Lock and key.

## DOUBLE ROLL DISPENSER



POLISHED STAINLESS STEEL Ref. 174218  
SATIN STAINLESS STEEL Ref. 174225  
BLACK Ref. 174232




- Capacity two rolls.
- Stainless steel plate 0,8 mm AISI 304.
- Lock and key.
- Meets ADA standards.

## SEAT COVER DISPENSER



SATIN STAINLESS STEEL Ref. 174294




- Capacity 250 covers.
- 0, 8mm stainless steel plate AISI 304.
- Meets ADA standards.

## STANDARD PAPER DISPENSER




POLISHED STAINLESS STEEL Ref. 090457




- Capacity 600 towels type Z.
- Stainless steel plate 0, 8mm AISI 304.
- Hinged front door.
- Lock and key.

## STANDARD PAPER DISPENSER FUTURA



POLISHED STAINLESS STEEL Ref. 127047  
SATIN STAINLESS STEEL Ref. 127030




- Capacity 600 towels type Z.
- Stainless steel plate 0, 8mm Steel AISI 304.
- Hinged front door.
- Lock and key.

## PAPER DISPENSER 600



POLISHED STAINLESS STEEL Ref. 152681  
SATIN STAINLESS STEEL Ref. 152698




- Capacity 600 towels type Z / 400 towels C.
- Towels 100 x 260 mm.
- Stainless steel plate 0,8 mm AISI 304.
- Hinged front door.
- Lock and key.

# PAPER DISPENSERS

## RECESSED TISSUES DISPENSER



SATIN STAINLESS STEEL Ref. 174300




- Capacity: 600 sheets type C or Z.
- Stainless steel plate 0.8 mm AISI 304.
- Key lock.

## RECESSED TISSUES DISPENSER + 17L BIN



SATIN STAINLESS STEEL Ref. 174867




- Capacidad 800 hojas tipo C o Z.
- Plancha 0.8mm y puerta de plancha 1.2mm acero inoxidable AISI 304.
- Cierre con llave.
- Papelera de 17,2L de capacidad.
- Contenedor interior de plástico extraíble, antigoteo.

## RECESSED TISSUES DISPENSER + 8L BIN



SATIN STAINLESS STEEL Ref. 174874




- Capacidad 600 hojas tipo C o Z.
- Plancha 0.8mm y puerta de plancha 1.2mm acero inoxidable AISI 304.
- Cierre con llave.
- Papelera de 7,6L de capacidad.
- Contenedor interior de plástico extraíble, antigoteo.



PAPER COIL DISPENSER FUTURA



POLISHED STAINLESS STEEL Ref. 127122




- Maximum capacity for rolls of ø 220 x 300 meters.
- Mandrel ø45mm.
- Stainless steel plate 0'8 mm AISI 304.
- Hinged front door.
- Lock and key.

PAPER COIL DISPENSER



POLISHED STAINLESS STEEL Ref. 152704



- Maximum capacity ø230mm rolls x 300 meters.
- Mandrel 45mm.
- Stainless steel plate 0'8 mm AISI 304.
- Hinged front door.
- Lock and key.





## 2.7 SOAP DISPENSERS

---

## SOAP DISPENSERS

### DUAL FIX


- Drill with peg and screw
- 3M adhesive backplate

#### TECNO PROJECT SOAP DISPENSER



DUAL FIX

CHROME Ref. 126811




- 132 ml unscrew polyethylene bottle.
- Wall backplate in rectangular aluminium profile.
- Brackets in rectangular profile of machined brass.
- Machined brass push button.
- Brass tube.
- Stainless steel assembly hardware.

#### RECESSED SOAP DISPENSER



CHROME Ref. 090594

Installation diameter needed Ø30 - Ø35.  
Max counter top thickness 300 mm.  
Capacity 450 ml.



- Polyethylene unscrew 450ml bottle.
- Machined brass push button.
- Diameter installation 30-35th mm.
- Max countertop thickness 30mm.


#### TECNO PROJECT SOAP DISPENSER



DUAL FIX

Capacity 195 ml.

CHROME Ref. 118281  
BLACK Ref. 166244



- Bichromated wall backplate.
- Zinc die casting support.
- Handcraft glass blowing 195 ml.
- Machined brass button.
- Stainless steel assembly hardware.




## S1 SOAP DISPENSER



DUAL FIX

Capacity 260 ml.

CHROME Ref. 122240



- Bichromated steel wall backplate.
- Zinc die casting support.
- Handcraft glass blowing 260 ml.
- Stainless steel assembly hardware.


- Machined brass button.

## S6 SOAP DISPENSER



No suitable with adhesive backplate.

CHROME Ref. 161010  
BLACK Ref. 166466



- Wall backplate in zamk 5 bichromated.
- Zinc die casting support.
- Handcraft glass blowing 322 ml.
- Machined brass push button.
- Stainless steel assembly hardware.


## E-PLUS SOAP DISPENSER



DUAL FIX

Capacity 195 ml.

CHROME Ref. 124619




- Bichromated steel wall backplate.
- Zinc die casting support. Handcrafted glass blowing 195 ml.
- Machined brass button.
- Stainless steel assembly hardware.

# SOAP DISPENSERS

## HORIZONTAL SOAP DISPENSER



SATIN STAINLESS STEEL    Ref. 090488




- Capacity 1L.
- Stainless Steel Container AISI 304.
- Key locking system.
- Per HACCP standards.

## SOAP FOAM DISPENSER



WALL SOAP DISPENSER	POLISHED STAINLESS STEEL	Ref. 174881
	SATIN STAINLESS STEEL	Ref. 174898
FOAM WALL DISPENSER	POLISHED STAINLESS STEEL	Ref. 174904
	SATIN STAINLESS STEEL	Ref. 174911




- Capacity 1,5L.
- Stainless Steel case AISI 304.
- Key lock.

## SOAP DISPENSER



POLISHED STAINLESS STEEL	Ref. 174928
SATIN STAINLESS STEEL	Ref. 174935




- Capacidad 1,3L.
- Plancha 1mm inoxidable AISI 304.
- Depósito interior de plástico.
- Cierre con llave.

## VERTICAL SOAP DISPENSER



POLISHED STAINLESS STEEL Ref. 132706  
SATIN STAINLESS STEEL Ref. 118113




- Capacity 850ml.
- Stainless Steel Container AISI 304.
- Key locking system.
- Per HACCP standards.

## VERTICAL SOAP DISPENSER



POLISHED STAINLESS STEEL Ref. 174942  
SATIN STAINLESS STEEL Ref. 174959




- Wireless installation.
- AC power AA not incl.
- Capacity 1,2L.
- Stainless Steel case AISI 304.
- Key lock.

## CLEANLINE SOAP FOAM DISPENSER



SILVER Ref. 174966  
WHITE Ref. 174973




- Chamber capacity of 3000 pumps (4000 pumps/L).
- Foam consistency reduces up to 50% water consumption.
- Capacity: 700 ml.
- Container ABS construction.
- Key Locking system.
- Per HACCP standards.

# SOAP DISPENSERS

## RECTANGULAR SOAP DISPENSER



SATIN STAINLESS STEEL Ref. 174980  
BLACK Ref. 174997




- Capacity 1, 5 L.
- Iron 0, 8 mm AISI 304.
- Plastic removable inner tank.
- Lock and key.

## AUTOMATIC SOAP DISPENSER



ALUMINIUM Ref. 175000




- Installation without power cord.
- Six batteries 1, 5V or 9V.
- Capacity 0, 8L.
- ABS housing black with aluminium front.

- Lock and key.

## CYLINDRICAL SOAP DISPENSER



POLISHED STAINLESS STEEL Ref. 175024  
SATIN STAINLESS STEEL Ref. 175031



- Capacity 300ml.
- Stainless Steel case AISI 304.











## 2.8 **MAGNIFYING MIRRORS**


---

# MAGNIFYING MIRRORS

## MAGNIFYING MIRROR (X3) 2 ARMS



CHROME Ref. 164547




- Magnifying mirror x3.
- Brass rod arms.
- Casing in brass plate.

## ECLIPS MAGNIFYING MIRROR (X3) 2 ARMS



CHROME Ref. 175048




- Magnifying mirror x3.
- Brass rod arms.
- Casing in black ABS.

## ECLIPS MAGNIFYING MIRROR (X3) 1 ARM



CHROME Ref. 175055




- Magnifying mirror x 3.
- Brass rod arms.
- Casing in black ABS.



## LED MAGNIFYING MIRROR (X3) 1 ARM



CHROME Ref. 165391




- Lighting LED 3W.
- 4000 K - 317LM.
- Class II - IP44.
- Mirror increase x 3.
- Brass rod arms.

- Casing in brass plate.

## BATTERY LED MAGNIFYING MIRROR (X5) 2 ARMS



CHROME Ref. 175482




- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.
- Magnifying zoom 5x.

## COSMOS BATTERY LED MAGNIFYING MIRROR (X5) 1 ARM



CHROME Ref. 175062



- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.
- Magnifying zoom 5x.

## MAGNIFYING MIRRORS

### GALAXY BATTERY LED MAGNIFYING MIRROR (X3) 2 ARMS



CHROME Ref. 168026

### GALAXY BATTERY LED MAGNIFYING MIRROR (X3) 1 ARM






CHROME Ref. 175079

### GALAXY BATTERY LED MAGNIFYING MIRROR (X3)



CHROME Ref. 175086



- Installation without power cord.
- Battery lithium AA 3.6 V incl. (3 years autonomy) .
- LED lighting.
- Touch system on timed 3 min.

- Mirror increase x 3.

- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.
- Magnifying zoom 3x.


- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.

- Magnifying zoom 3x.
- Adjustable height.

## ECLIPS BATTERY LED MAGNIFYING MIRROR (X3) 2 ARMS



CHROME Ref. 175093




- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.
- Magnifying zoom 3x.

## ECLIPS BATTERY LED MAGNIFYING MIRROR (X3) 1 ARM



CHROME Ref. 175109



- Wireless installation.
- Lithium AC power AA 3.6V included (3yr).
- LED lighting.
- Touch power on timer to 3 min.
- Magnifying zoom 3x.







## 2.9 BINS


---

BINS

SQUARED PEDAL BIN



POLISHED STAINLESS STEEL Ref. 175369  
SATIN STAINLESS STEEL Ref. 175376




- Steel cover 0,8mm AISI 430.
- Removable dripless inside plastic container.

- Plastic support slip resistant and moisture resistant.
- Odourless seal.

WALL OPENED 25L BIN



BLACK Ref. 175390  
SATIN STAINLESS STEEL Ref. 175406




- Stainless steel plate 0,8 mm AISI 304
- Fastening through rocker ring at the top.
- Floor or wall installation.

25L BIN



POLISHED STAINLESS STEEL Ref. 175413




- Stainless steel plate 0,8 mm AISI 304
- Fully sealed body.
- Floor or wall installation.

## 3L PEDAL BIN



POLISHED STAINLESS STEEL Ref. 006434  
**AUTO SOFT CLOSE** Ref. 175499




- Stainless Steel AISI 430.
- Internal removable plastic container, non-drip.
- Non-slip plastic and moisture-proof base.
- Close anti-odor.
- Optional with soft close System.

## 5L PEDAL BIN



POLISHED STAINLESS STEEL Ref. 006489  
**AUTO SOFT CLOSE** Ref. 175505




- Stainless Steel AISI 430.
- Internal removable plastic container, non-drip.
- Non-slip plastic and moisture-proof base.
- Close anti-odor.
- Optional with soft close System.

## 12L PEDAL BIN



POLISHED STAINLESS STEEL Ref. 059577  
**AUTO SOFT CLOSE** Ref. 175512




- Stainless Steel AISI 430.
- Internal removable plastic container, non-drip.
- Non-slip plastic and moisture-proof base.
- Close anti-odor.
- Optional with soft close System.

## BINS

### 14L RECESSED BIN



SATIN STAINLESS STEEL Ref. 175420




- Stainless steel plate 0,8 mm AISI 304
- Gate cover. Lock and key.
- Internal removable plastic container, non-drip.

### HYGIENE BIN



SATIN STAINLESS STEEL Ref. 175383




- Capacity 6L.
- Stainless steel plate 0,8 mm AISI 304
- Lid installation manual to floor or wall.

### RECESSED TISSUES DISPENSER + 17L BIN



SATIN STAINLESS STEEL Ref. 174867




- Capacity: 800 sheets type C o Z.
- Stainless Steel cover 0,8mm and lid 1,2mm AISI 304.
- Key locking system
- Container capacity: 17.2L.
- Removable dripless inside plastic container.

### RECESSED TISSUES DISPENSER + 8L BIN



SATIN STAINLESS STEEL Ref. 174874




- Capacity: 800 sheets type C o Z.
- Stainless Steel cover 0,8mm and lid 1,2mm AISI 304.
- Key locking system
- Container capacity: 7.6L.
- Removable dripless inside plastic container.



## VERTICAL DIAPER CHANGING TABLE



WHITE Ref. 175437




- High quality polyethylene construction.
- Net weight: 12kg.
- Safety belt equipped.
- Frame construction: high density polyethylene HDPE.
- Metal wall mounting plates.

- Pneumatic hinges.
- Max weight support: 20kg.

## HORIZONTAL DIAPER CHANGING TABLE




WHITE Ref. 175444



- High quality polyethylene construction.
- Net weight: 10kg.
- Safety belt equipped.
- Frame construction: high density polyethylene HDPE.
- Metal wall mounting plates.

- Pneumatic hinges.
- Max weight support: 20kg.





# 2.10

**ROBE HOOKS**




### S1, S6 ROBE HOOK



DUAL FIX

CHROME Ref. 122035  
BLACK Ref. 166435




### ELETECH ROBE HOOK




DUAL FIX

CHROME Ref. 113866




- Bichromated steel wall backplate.
- Zinc die casting support.
- Stainless steel assembly hardware.

### E-PLUS ROBE HOOK



DUAL FIX

CHROME Ref. 124503



- Bichromated steel wall backplate.
- Zinc die casting support.
- Injection ABS stopper.




## E-PLUS DOUBLE ROBE HOOK



DUAL FIX

CHROME Ref. 068593




## S-CUBE ROBE HOOK



DUAL FIX

CHROME Ref. 166817  
BLACK Ref. 173006  
WHITE Ref. 176359




- Wall backplate of Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.

## S2, S8 ROBE HOOK



DUAL FIX

CHROME Ref. 156122  
BLACK Ref. 169900  
WHITE Ref. 172504



- Wall backplate of Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.

- Bichromated wall backplate.
- Zinc die casting stands.

ROBE HOOKS



DUAL FIX

- Drill with peg and screw
- 3M adhesive backplate

TECNO PROJECT ROBE HOOK



A = Ø25 mm. ( 1" )	CHROME	Ref. 118090
A = Ø25 mm. ( 1" )	BLACK	Ref. 166213
A = Ø25 mm. ( 1" )	WHITE	Ref. 166091
A = Ø35 mm. ( 13/8" )	CHROME	Ref. 116881
A = Ø35 mm. ( 13/8" )	BLACK	Ref. 170364
A = Ø35 mm. ( 13/8" )	WHITE	Ref. 176816






- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.

TECNO PROJECT DOUBLE ROBE HOOK



CHROME	Ref. 116898
BLACK	Ref. 172320
WHITE	Ref. 172405






- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.

TECNO PROJECT TRIPLE ROBE HOOK



CHROME	Ref. 116904
BLACK	Ref. 176762
WHITE	Ref. 176823




- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.


### TECNO PROJECT KNOB HANDLE




CHROME Ref. 154517



### S4 ROBE HOOK



CHROME Ref. 156351




- Wall backplate of Zinc die casting.
- Solid surface injection support.
- Stainless steel assembly hardware.

### S5 ROBE HOOK



POLISHED STAINLESS STEEL Ref. 153015  
BLACK Ref. 176465



- Wall backplate in steel AISI 304.
- Support of AISI 304 steel.

- Machined brass handle.
- Stainless steel assembly hardware.

## ROBE HOOKS

### DUAL FIX


- Drill with peg and screw
- 3M adhesive backplate

#### S3 ROBE HOOK



DUAL FIX

CHROME Ref. 124671




- Wall backplate of Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.

#### NAKAR ROBE HOOK



DUAL FIX

CHROME Ref. 118984




- Wall backplate of Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.

#### GENOA ROBE HOOK




CHROME Ref. 107391




- Zinc die casting backplate.
- Body of brass tube.
- Stainless steel assembly hardware.



## S7 ROBE HOOK



CHROME Ref. 131679



- Wall backplate of Zinc die casting.
- Zinc die casting support.
- Stainless steel assembly hardware.







## 2.11 TOILET BRUSHES

---

TOILET BRUSHES

DUAL FIX

- Drill with peg and screw
- 3M adhesive backplate

TECNO PROJECT TOILET BRUSH



DUAL FIX

- CHROME Ref. 117000
- BLACK Ref. 166299
- WHITE Ref. 166176

E-PLUS TOILET BRUSH






DUAL FIX

- CHROME Ref. 164400

TECNO PROJECT METAL TOILET BRUSH



- CHROME Ref. 117017



- Bichromated wall backplate
- Zinc die casting support.
- Handcraft blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.

- Bichromated wall backplate
- Zinc die casting support.
- Handcraft blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel assembly hardware.


- Wall backplate in zamak 5 injected .
- Body of brass tube.
- Inside polypropylene cover.
- Brush handle of brass tube.
- Machined brass caps.



## STANDARD METAL TOILET BRUSH



CHROME Ref. 052929  
BLACK Ref. 168200  
WHITE Ref. 175918




- Wall backplate in zamak 5 injected.
- Body of brass tube.
- Inside polypropylene cover.
- Brush handle of brass tube.
- Machined brass caps.

## S5 TOILET BRUSH



POL. ST. STEEL Ref. 153039  
BLACK Ref. 176489




- AISI 304 stainless steel body.
- Inside polypropylene cover.
- Brush handle in AISI 304 plate.
- Rubber brush handle round cover.

## S-CUBE TOILET BRUSH



CHROME Ref. 166855  
BLACK Ref. 169979  
WHITE Ref. 172535



- Zinc die casting support. Handcrafted blown glass.
- Brush handle of brass tube.
- Machined brass caps.
- Stainless steel Assembly hardware.





## GUARANTEE

Sonia guarantee is 10 years for accessory products and 2 years for furniture, wash basins, mirror, lighting and commercial items. Always from the purchase date.

And only covering materials and manufacturing process defects.

The guarantee will not cover problems consequence of misuse, wrong maintenance, product modifications and the wear caused by normal use of the products.

In order to submit a claim the product, the original invoice and this document should be hand into the place you bought it.

### RECOMMENDATIONS:

- Always clean with a cloth dampened with water and then dried.
- Do not use products or scouring pads that may damage the surface.
- Always follow the cleaning, maintenance and installation instructions you will find with each product.
- Use the product according to its functionality.









---

SONIA, S.A. | Valencia - Spain | © 2019  
[www.soniabath.com](http://www.soniabath.com)

T. 96 317 10 68  
F. 96 317 11 61  
[sonia.nacional@sonia-sa.com](mailto:sonia.nacional@sonia-sa.com)

International  
T. +34 96 317 10 67  
F. +34 96 317 10 69  
[sonia.export@sonia-sa.com](mailto:sonia.export@sonia-sa.com)